

TABLE 1.
Patient-Reported Outcome Measures

PROM	Preoperative	1 year	2 years	5 years	10 years	<i>p value*</i>
Lysholm	56.2 ± 23.0	81.1 ± 17.0	87.8 ± 14.2	81.4 ± 18.2	78.9 ± 24.9	0.001
Tegner	3.3 ± 2.4	3.7 ± 2.0	5.1 ± 2.4	5.3 ± 2.4	5.2 ± 2.3	0.026
IKDC(S)	44.6 ± 14.9	65.2 ± 17.6	72.8 ± 16.4	68.2 ± 17.9	62.5 ± 16.3	0.001
KOOS-S	61.6 ± 19.2	80.0 ± 15.7	82.0 ± 13.3	82.3 ± 15.8	79.0 ± 17.8	<0.001
KOOS-P	55.9 ± 19.0	82.2 ± 18.2	86.2 ± 15.7	84.2 ± 16.5	81.5 ± 22.2	0.002
KOOS-ADL	61.8 ± 22.9	86.7 ± 17.2	90.1 ± 13.6	88.6 ± 14.3	84.7 ± 22.2	0.002
KOOS-SR	31.7 ± 23.1	61.3 ± 29.8	69.4 ± 25.5	70.7 ± 25.1	66.2 ± 29.0	0.001
KOOS-QoL	25.1 ± 17.1	49.2 ± 25.6	64.3 ± 22.0	64.2 ± 21.7	58.8 ± 23.4	0.001

PROM= Patient-Reported Outcome Measure, IKDC(S)= Subjective IKDC, KOOS-S= KOOS Symptoms, KOOS-P= KOOS Pain, KOOS-ADL= KOOS Activities of Daily Living, KOOS-SR= KOOS Sports and Recreational Activities, KOOS-QOL= KOOS Quality of Life, *p value**= Baseline vs 10 years